according to GB/T 16483 and GB/T 17519



ARALDITE® DW 0133 RED

SDS Number: Date of last issue: 2018/03/20 Version **Revision Date:** 2018/09/28 400001010598 Date of first issue: 2018/03/20 1.1

1. PRODUCT AND COMPANY IDENTIFICATION

: ARALDITE® DW 0133 RED Product name

Manufacturer or supplier's details

Company : Huntsman Advanced Materials (Guangdong) Co., Ltd.

Address : Flying Geese Mountain Industrial Park, Shilou Town, Panyu,

Guangzhou, Guangdong 511447, P.R.C.

+86 20 39377000 Telephone Telefax +86 20 84865122

E-mail address : Global_Product_EHS_AdMat@huntsman.com

Emergency telephone number : EUROPE: +32 35 75 1234

France ORFILA: +33(0)145425959

ASIA: +65 6336-6011 China: +86 20 39377888

+86 532 83889090 India: + 91 22 42 87 5333 Australia: 1800 786 152 New Zealand: 0800 767 437

USA: +1/800/424.9300

Recommended use of the chemical and restrictions on use

Recommended use : Component used for the manufacture

parts

Restrictions on use : For industrial use only.

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : paste Colour red Odour slight

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.

GHS Classification

Skin corrosion/irritation : Category 2

Serious eye damage/eye

irritation

: Category 2A

Skin sensitisation : Category 1

according to GB/T 16483 and GB/T 17519



ARALDITE® DW 0133 RED

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2018/03/20

 1.1
 2018/09/28
 400001010598
 Date of first issue: 2018/03/20

Short-term (acute) aquatic

hazard

: Category 2

Long-term (chronic) aquatic

hazard

: Category 2

GHS label elements

Hazard pictograms





Signal word : Warning

Hazard statements : H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of

the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

P391 Collect spillage.

Storage:Not available

Disposal:

P501 Dispose of contents/container to an approved facility in accordance with local, regional, national and international

regulations.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction.

Environmental hazards

Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

according to GB/T 16483 and GB/T 17519



ARALDITE® DW 0133 RED

SDS Number: Date of last issue: 2018/03/20 Version **Revision Date:** 2018/09/28 400001010598 Date of first issue: 2018/03/20 1.1

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

| Chemical name | CAS-No. | Concentration (% w/w) |
|--|-----------|-----------------------|
| 2,2'-[(1-methylethylidene)bis(4,1- | 1675-54-3 | >= 70 - < 90 |
| phenyleneoxymethylene)]bisoxirane | | |
| 3,3'-[(2-chloro-5-methyl-p- | 5580-57-4 | >= 1 - < 10 |
| phenylene)bis[imino(1-acetyl-2- | | |
| oxoethylene)azo]]bis[4-chloro-N-(3-chloro- | | |
| o-tolyl)benzamide] | | |

Both 25068-38-6 and 1675-54-3 can be used to describe the epoxy resin which is produced through the reaction of Bisphenol A and Epichlorhydrin

4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Treat symptomatically.

Get medical attention if symptoms occur.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : If skin irritation persists, call a physician.

> If on skin, rinse well with water. If on clothes, remove clothes.

: Immediately flush eye(s) with plenty of water. In case of eye contact

Remove contact lenses.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

: None known.

Notes to physician : Treat symptomatically.

5. FIREFIGHTING MEASURES

according to GB/T 16483 and GB/T 17519



ARALDITE® DW 0133 RED

SDS Number: Date of last issue: 2018/03/20 Version **Revision Date:** 2018/09/28 400001010598 Date of first issue: 2018/03/20 1.1

Suitable extinguishing media Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during

firefighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

Carbon oxides

Halogenated compounds

Specific extinguishing

methods

: Collect contaminated fire extinguishing water separately. This

must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in

accordance with local regulations.

Special protective equipment

for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Use personal protective equipment.

Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Handling

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

according to GB/T 16483 and GB/T 17519



ARALDITE® DW 0133 RED

Version Revision Date: SDS Number: Date of last issue: 2018/03/20 1.1 2018/09/28 400001010598 Date of first issue: 2018/03/20

Avoidance of contact : Strong acids

Strong bases

Strong oxidizing agents

Storage

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Keep in properly labelled containers.

Materials to avoid : For incompatible materials please refer to Section 10 of this

SDS.

Recommended storage

temperature

: 2 - 40 °C

Further information on

storage stability

No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines

Filter type : Combined particulates and organic vapour type

Eye/face protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

Hand protection

Material : butyl-rubber

Break through time : > 8 h

Material : Nitrile rubber Break through time : 10 - 480 min

Material : Neoprene gloves Break through time : 10 - 480 min

Remarks : The suitability for a specific workplace should be discussed

according to GB/T 16483 and GB/T 17519



ARALDITE® DW 0133 RED

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2018/03/20

 1.1
 2018/09/28
 400001010598
 Date of first issue: 2018/03/20

with the producers of the protective gloves.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

Colour : red

Odour : slight

Odour Threshold : No data is available on the product itself.

pH : 5.5 - 8.5 (20 °C)

Concentration: 500 g/l

Freezing point : No data is available on the product itself.

Melting point : No data is available on the product itself.

Boiling point : $> 200 \, ^{\circ}\text{C}$

Flash point : > 200 °C

Method: Pensky-Martens closed cup

Evaporation rate : No data is available on the product itself.

Flammability (solid, gas) : No data is available on the product itself.

Flammability (liquids) : No data is available on the product itself.

Upper explosion limit / Upper

flammability limit

: No data is available on the product itself.

Lower explosion limit / Lower

flammability limit

: No data is available on the product itself.

Vapour pressure : 0.0001 hPa (20 °C)

Relative vapour density : No data is available on the product itself.

Relative density : 1.2 (25 °C)

Density : 1.2 g/cm3 (25 °C)

Solubility(ies)

Water solubility : insoluble (20 °C)

Solubility in other solvents : No data is available on the product itself.

Partition coefficient: n- : No data is available on the product itself.

according to GB/T 16483 and GB/T 17519



ARALDITE® DW 0133 RED

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2018/03/20

 1.1
 2018/09/28
 400001010598
 Date of first issue: 2018/03/20

octanol/water

Auto-ignition temperature : No data is available on the product itself.

Decomposition temperature : > 200 °C

Self-Accelerating

decomposition temperature

(SADT)

No data is available on the product itself.

Viscosity

Viscosity, dynamic : 40 - 110 Pas (25 °C)

Explosive properties : No data is available on the product itself.

Oxidizing properties : No data is available on the product itself.

Particle size : No data is available on the product itself.

10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

Conditions to avoid

reactions

: No hazards to be specially mentioned.

Incompatible materials : Strong acids

Strong bases

: None known.

Strong oxidizing agents

Hazardous decomposition

products

carbon dioxide carbon monoxide

Halogenated compounds

11. TOXICOLOGICAL INFORMATION

Exposure routes : No data is available on the product itself.

Acute toxicity

Acute oral toxicity - Product : Acute toxicity estimate : > 5,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : No data available

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

according to GB/T 16483 and GB/T 17519



ARALDITE® DW 0133 RED

Version SDS Number: Date of last issue: 2018/03/20 **Revision Date:** 2018/09/28 400001010598 Date of first issue: 2018/03/20 1.1

toxicity

Acute toxicity (other routes of : No data available

administration)

Skin corrosion/irritation

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rabbit

Assessment: Mild skin irritant Method: OECD Test Guideline 404

Result: Irritating to skin.

Serious eye damage/eye irritation

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rabbit

Result: Irritating to eyes. Assessment: Mild eye irritant Method: OECD Test Guideline 405

Respiratory or skin sensitisation

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Exposure routes: Skin Species: Mouse

Assessment: May cause sensitisation by skin contact.

Method: OECD Test Guideline 429 Result: Causes sensitisation.

No data available Assessment:

Germ cell mutagenicity

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: positive

Concentration: 0 - 5000 ug/plate

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: positive

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Genotoxicity in vivo : Cell type: Germ

Application Route: Oral

Method: OECD Test Guideline 478

Fax:86-755-22648848

according to GB/T 16483 and GB/T 17519



ARALDITE® DW 0133 RED

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2018/03/20

 1.1
 2018/09/28
 400001010598
 Date of first issue: 2018/03/20

Result: negative

Cell type: Somatic Application Route: Oral Dose: 0 - 5000 mg/kg Method: OPPTS 870.5395

Result: negative

Carcinogenicity

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rat, male and female Application Route: Oral Exposure time: 24 month(s)

Dose: 15 mg/kg

Frequency of Treatment: 7 days/week Method: OECD Test Guideline 453

Result: negative

Species: Mouse, male Application Route: Dermal Exposure time: 24 month(s)

Dose: 0.1 mg/kg

Frequency of Treatment: 3 days/week Method: OECD Test Guideline 453

Result: negative

Species: Rat, female Application Route: Dermal Exposure time: 24 month(s)

Dose: 1 mg/kg

Frequency of Treatment: 5 days/week Method: OECD Test Guideline 453

Result: negative

Carcinogenicity -

Assessment

Reproductive toxicity

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane: Effects on fertility : Test Type: Two-generation study

Species Det male and famile

Species: Rat, male and female Application Route: Oral

Dose: >750 milligram per kilogram

General Toxicity - Parent: No-observed-effect level: 540

mg/kg body weight

General Toxicity F1: No-observed-effect level: 540 mg/kg

body weight

: No data available

Symptoms: No adverse effects Method: OECD Test Guideline 416

Result: No effects on fertility and early embryonic

development were detected.

according to GB/T 16483 and GB/T 17519



ARALDITE® DW 0133 RED

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2018/03/20

 1.1
 2018/09/28
 400001010598
 Date of first issue: 2018/03/20

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Effects on foetal : Species: Rabbit, female development : Application Route: Dermal

General Toxicity Maternal: No observed adverse effect level:

30 mg/kg body weight Method: Other guidelines Result: No teratogenic effects

Species: Rabbit, female Application Route: Oral

General Toxicity Maternal: No observed adverse effect level:

60 mg/kg body weight

Method: OECD Test Guideline 414 Result: No teratogenic effects

Species: Rat, female Application Route: Oral

General Toxicity Maternal: No observed adverse effect level:

180 mg/kg body weight

Method: OECD Test Guideline 414 Result: No teratogenic effects

Reproductive toxicity -

Assessment

: No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Repeated dose toxicity

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rat, male and female

NOAEL: 50 mg/kg

Application Route: Ingestion Exposure time: 14 Weeks Number of exposures: 7 d Method: Subchronic toxicity

Species: Rat, male and female

NOEL: 10 mg/kg

Application Route: Skin contact Exposure time: 13 Weeks Number of exposures: 5 d Method: Subchronic toxicity

Species: Mouse, male NOAEL: 100 mg/kg

according to GB/T 16483 and GB/T 17519



ARALDITE® DW 0133 RED

Version Revision Date: SDS Number: Date of last issue: 2018/03/20 1.1 2018/09/28 400001010598 Date of first issue: 2018/03/20

Application Route: Skin contact Exposure time: 13 Weeks Number of exposures: 3 d Method: Subchronic toxicity

Repeated dose toxicity -

Assessment

: No data available

Aspiration toxicity

No data available

Experience with human exposure

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information

Ingestion: No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.5 mg/l

Exposure time: 96 h Test Type: static test

Test substance: Fresh water Method: OECD Test Guideline 203

Components:

according to GB/T 16483 and GB/T 17519



ARALDITE® DW 0133 RED

Version Revision Date: SDS Number: Date of last issue: 2018/03/20 1.1 2018/09/28 400001010598 Date of first issue: 2018/03/20

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Toxicity to daphnia and other

: EC50 (Daphnia magna (Water flea)): 2.7 mg/l

aquatic invertebrates

Exposure time: 48 h
Test Type: static test
Test substance: Fresh water

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Toxicity to algae : EC50 (Selenastrum capricornutum (green algae)): 9.4 mg/l

Exposure time: 72 h Test Type: static test

Test substance: Fresh water Method: EPA-660/3-75-009

M-Factor (Acute aquatic

toxicity)

: No data available

Toxicity to fish (Chronic

toxicity)

: No data available

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0.3 mg/l

aquatic invertebrates (Chronic toxicity)

Exposure time: 21 d
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

: No data available

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane: Toxicity to microorganisms : IC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

Test Type: static test

Test substance: Fresh water

Toxicity to soil dwelling

organisms

: No data available

Plant toxicity : No data available

Sediment toxicity : No data available

Toxicity to terrestrial

organisms

: No data available

Ecotoxicology Assessment

Acute aquatic toxicity : No data available

Chronic aquatic toxicity : No data available

Toxicity Data on Soil : No data available

Fax:86-755-22648848

according to GB/T 16483 and GB/T 17519



ARALDITE® DW 0133 RED

Version Revision Date: SDS Number: Date of last issue: 2018/03/20 1.1 2018/09/28 400001010598 Date of first issue: 2018/03/20

Other organisms relevant to

the environment

: No data available

Persistence and degradability

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:
Biodegradability : Inoculum: Sewage (STP effluent)

Concentration: 20 mg/l

Result: Not readily biodegradable.

Biodegradation: 5 % Exposure time: 28 d

Method: OECD Test Guideline 301F

Biochemical Oxygen

Demand (BOD)

: No data available

Chemical Oxygen Demand

(COD)

: No data available

BOD/COD : No data available

ThOD : No data available

BOD/ThOD : No data available

Dissolved organic carbon

(DOC)

: No data available

Physico-chemical

removability

: No data available

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Stability in water : Degradation half life(DT50): 4.83 d (25 °C) pH: 4

Method: OECD Test Guideline 111

Remarks: Fresh water

Degradation half life(DT50): 7.1 d (25 °C) pH: 9

Method: OECD Test Guideline 111

Remarks: Fresh water

Degradation half life(DT50): 3.58 d (25 °C) pH: 7

Method: OECD Test Guideline 111

Remarks: Fresh water

Photodegradation : No data available

Impact on Sewage

Treatment

: No data available

Fax:86-755-22648848

according to GB/T 16483 and GB/T 17519



ARALDITE® DW 0133 RED

Version Revision Date: SDS Number: Date of last issue: 2018/03/20 1.1 2018/09/28 400001010598 Date of first issue: 2018/03/20

Bioaccumulative potential

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:
Bioaccumulation
: Bioconcentration factor (BCF): 31
Remarks: Does not bioaccumulate.

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Partition coefficient: n- : log Pow: 3.242 (25 °C)

octanol/water pH: 7.1

Method: OECD Test Guideline 117

Mobility in soil

Mobility : No data available

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Distribution among : Koc: 445

environmental compartments

Stability in soil : No data available

Other adverse effects

Environmental fate and

pathways

: No data available

Results of PBT and vPvB

assessment

: No data available

Endocrine disrupting

potential

: No data available

Adsorbed organic bound

halogens (AOX)

: No data available

Hazardous to the ozone layer

Ozone-Depletion Potential Not applicable

Additional ecological information - Product

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

Global warming potential

(GWP)

: No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

according to GB/T 16483 and GB/T 17519



ARALDITE® DW 0133 RED

Version Revision Date: SDS Number: Date of last issue: 2018/03/20 1.1 2018/09/28 400001010598 Date of first issue: 2018/03/20

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Dispose of as hazardous waste in compliance with local and

national regulations.

Dispose of contents/ container to an approved waste disposal

plant.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

14. TRANSPORT INFORMATION

International Regulations

IATA

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(BISPHENOL A EPOXY RESIN)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction : 964

(passenger aircraft)

Environmentally hazardous : yes

IMDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

(BISPHENOL A EPOXY RESIN)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(BISPHENOL A EPOXY RESIN)

according to GB/T 16483 and GB/T 17519



ARALDITE® DW 0133 RED

SDS Number: Date of last issue: 2018/03/20 Version Revision Date: 2018/09/28 400001010598 Date of first issue: 2018/03/20 1.1

Class : 9 Packing group : 111 : 9 Labels

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

China Occupational Disease Prevention Law

Occupational hazard factor classification category : Not listed

Occupational disease list : Not listed

Regulations on Safety Management of Hazardous Chemicals

Hazardous chemicals list : Not listed

Identification of major hazard installations for : Not listed

dangerous chemicals

Key supervision chemical substances : Not listed

Labor Protection Regulations

High toxic substances catalog : Not listed

Environmental management regulations for first import of chemicals and import & export of toxic chemicals

Strictly controlled toxic chemicals for import/export : Not listed

Environmental Administration of New Chemical Substances

Inventory of existing chemicals in China : On the inventory, or in compliance

with the inventory

The components of this product are reported in the following inventories:

CH INV : The formulation contains substances listed on the Swiss

Inventory

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

according to GB/T 16483 and GB/T 17519



ARALDITE® DW 0133 RED

Revision Date: SDS Number: Date of last issue: 2018/03/20 Version 2018/09/28 400001010598 Date of first issue: 2018/03/20 1.1

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : On the inventory, or in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

16. OTHER INFORMATION

Date format : yyyy/mm/dd

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.